

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("20030177978" "3492213" "3627661" "5759371" "5914022").PN.	USPAT	OR	OFF	2009/08/04 11:43
S2	1	"5759371".pn.	USPAT	OR	OFF	2009/08/04 16:14
S3	80209	max\$4 with current	USPAT	OR	OFF	2009/08/04 16:15
S4	0	S2 and S3	USPAT	OR	OFF	2009/08/04 16:15
S5	69620	thickness with temperature	USPAT	OR	OFF	2009/08/04 16:21
S6	0	S2 and S5	USPAT	OR	OFF	2009/08/04 16:21
S7	5	("20030177978" "3492213" "3627661" "5759371" "5914022").PN.	US-PGPUB; USPAT	OR	OFF	2009/08/04 16:47
S8	0	S7 and (temperature adj2 sensor)	US-PGPUB; USPAT	OR	OFF	2009/08/04 16:47
S9	2	S7 and temperature	US-PGPUB; USPAT	OR	OFF	2009/08/04 16:47
S10	4	("20030177978" "3492213" "3627661" "5759371" "5914022").PN.	USPAT	OR	OFF	2009/08/05 11:09
S11	0	S10 and ammeter	USPAT	OR	OFF	2009/08/05 11:09
S12	1	S10 and density	USPAT	OR	OFF	2009/08/05 11:15
S13	5	("20030177978" "3492213" "3627661" "5759371" "5914022").PN.	US-PGPUB; USPAT	OR	OFF	2009/08/05 11:21
S14	1	"10587104"	US-PGPUB; USPAT	OR	OFF	2009/08/05 12:44
S15	3	("3658676" "4452680" "4851102").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:33

S16	19	horvath-zoltan.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:49
S17	3	kern-martin.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:49
S18	1	sindlinger-stephen.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:49
S19	0	schlecht-juergen.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:50
S20	0	schlecht-juergen.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:50
S21	172	324/699.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:50
S22	349	324/229.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:51
S23	95	324/635.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:52
S24	295	324/644.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:52
S25	678	324/662.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:52
S26	2256	(measur\$3 determin\$3 calculat\$3) with thickness with charge	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:53
S27	1	S26 and S21	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:54
S28	0	S21 and S22 and S23 and S24 and S25	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:54
S29	21511	temperature and pH and (electric\$3 adj2 conduct\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:55
S30	111	S26 and S29	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:55

S31	1	S21 and S30	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:55
S32	0	S30 and S22	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:55
S33	0	S30 and S23	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:56
S34	0	S30 and S25	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:56
S35	0	S30 and S24	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 14:56
S36	38354	predetermined with parameter	US-PGPUB; USPAT	OR	OFF	2009/08/05 14:58
S37	0	S36 and S30	US-PGPUB; USPAT	OR	OFF	2009/08/05 14:58
S38	0	"12442070"	US-PGPUB; USPAT	OR	OFF	2009/08/05 15:00

8/5/2009 5:04:00 PM

C:\Documents and Settings\fhoque\My Documents\EAST\Workspaces\10587104-method and system for determining the thickness of a layer of lacquer.wsp